

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	control\$4 endoscop\$4 gain\$1 with reflect\$4 white light\$1	US-PGPUB; USPAT	WITH	OFF	2009/12/11 15:30
L2	102	control\$4 endoscop\$4 gain\$1 with reflect\$4 white light\$1	US-PGPUB; USPAT	AND	OFF	2009/12/11 15:30
S1	15	((DOV) near2 (AVNI)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/14 16:38
S2	100	((ARKADY) near2 (GLUKHOVSKY)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/14 16:39
S3	22	((DOV) near2 (AVNI)). INV.	EPO; JPO; DERWENT	OR	OFF	2009/04/14 16:39
S4	32	((ARKADY) near2 (GLUKHOVSKY)). INV.	USPAT	OR	OFF	2009/04/14 16:44
S5	1	"7104952"	USPAT	OR	OFF	2009/05/14 17:26
S6	0	"20010051766"	USPAT	OR	OFF	2009/05/14 17:32
S7	1	"20010051766"	US-PGPUB; USPAT	OR	OFF	2009/05/14 17:32
S8	40	"4532918"	US-PGPUB; USPAT	OR	OFF	2009/05/14 17:34
S9	396	"5604531"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/14 18:27
S10	6	capsule\$1 device with pH indicator\$1 and temperature sensor\$1 or gauge\$1 and light level indicator\$1	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 14:01
S11	0	capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator\$1	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 14:03
S12	18371	capsule\$1 device with pH indicator\$1 and temperature sensor\$1 or gauge\$1 and light level indicator\$1	US-PGPUB; USPAT	AND	OFF	2009/05/15 14:04

S13	488	capsule\$1 device with pH indicator\$1 and temperature sensor\$1 or gauge\$1 and light level indicator\$1	US-PGPUB; USPAT	WITH	OFF	2009/05/15 14:04
S14	0	capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	WITH	OFF	2009/05/15 14:04
S15	213	capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/15 14:04
S16	3081	capsule\$1 device and pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/15 14:04
S17	0	capsule\$1 device and pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 14:04
S18	0	capsule\$1 device and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 14:05
S19	1	capsule\$1 device and temperature sensor\$1 and light indicator\$1	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 14:05
S20	45	capsule\$1 device and pH indicator\$1 and temperature sensor\$1 and light level indicator \$1 and light source\$1 and image\$4 gain level and photodetector\$1	US-PGPUB; USPAT	AND	OFF	2009/05/15 14:07
S21	45	capsule\$1 device and pH indicator\$1 and temperature sensor\$1 and light level indicator \$1 and light source\$1 and image\$4 gain level and photodetector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 14:08

S22	14	("20020091325" "20030060734" "20030181788" "20030208134" "20040176683" "20050183733" "20050215911" "20080161748" "5643175" "6035229" "6134003" "6185443" "6240312" "6485413").PN. OR ("7530948").URPN	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/15 14:10
S23	52	capsule\$1 device and temperature sensor\$1 and light indicator\$1 and light source\$1 and image\$4 gain control\$3 and photodetector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 14:18
S24	0	endoscop\$4 with photodetector	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 15:07
S25	774	endoscop\$4 and photodetector	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 15:08
S26	8	vivo imag\$3 device and photodetector	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 15:08
S27	0	vivo imag\$3 device and light measur\$4 photodetector	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 15:14
S28	0	endoscop\$5 and light measur\$4 photodetector	US-PGPUB; USPAT	ADJ	OFF	2009/05/15 15:14
S29	646	endoscop\$5 and light measur\$4 photodetector	US-PGPUB; USPAT	AND	OFF	2009/05/15 15:15
S30	43	endoscop\$5 and light measur\$4 photodetector and capsule	US-PGPUB; USPAT	AND	OFF	2009/05/15 15:15
S31	114	"6240312"	US-PGPUB; USPAT	AND	OFF	2009/05/15 15:16
S32	0	600/407 ccls and capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	WITH	OFF	2009/05/25 20:23

S33	2	600/407.ccls. and capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/25 20:23
S34	0	600/437.ccls. and capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/25 20:23
S35	0	600/473.ccls. and capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/25 20:23
S36	2	600/476.ccls. and capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/25 20:23
S37	0	600/478.ccls. and capsule\$1 device with pH indicator\$1 and temperature sensor\$1 and light level indicator \$1	US-PGPUB; USPAT	AND	OFF	2009/05/25 20:23
S38	5	US-6462770-\$.DID. OR US-5408263-\$.DID. OR US-6240312-\$.DID. OR US-4631582-\$.DID. OR US-5604531-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:40
S39	6	US-1295690-\$.DID. OR US-2240312-\$.DID. OR US-2241940-\$.DID. OR JP-07275200-\$.DID. OR JP-55121779-\$.DID. OR JP-2001112740-\$.DID. OR JP-47004376-\$.DID. OR JP-47041473-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:41
S40	3	US-1295690-\$.DID. OR US-4310228-\$.DID	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:42

S41	39	US-3971362-\$.D.ID. OR US-4278077-\$.D.ID. OR US-4428005-\$.D.ID. OR US-4532918-\$.D.ID. OR US-4539603-\$.D.ID. OR US-4646724-\$.D.ID. OR US-4689621-\$.D.ID. OR US-4786982-\$.D.ID. OR US-4844076-\$.D.ID. OR US-5187572-\$.D.ID. OR US-5202961-\$.D.ID. OR US-5279607-\$.D.ID. OR US-5351161-\$.D.ID. OR US-5355450-\$.D.ID. OR US-5486861-\$.D.ID. OR JP-4109927-\$.D.ID. OR JP-5015515-\$.D.ID. OR JP-2001025004-\$.D.ID. OR WO-0076391-\$.D.ID. OR WO-0076391D-\$. D.ID. OR WO-0135813-\$. D.ID. OR WO-0150941-\$. D.ID. OR WO-0165995-\$. D.ID. OR WO-0187377-\$. D.ID. OR WO-03009739- \$.D.ID. OR US-5519828- \$.D.ID. OR US-5604531- \$.D.ID. OR US-5643175- \$.D.ID. OR US-5678568- \$.D.ID. OR US-5819736- \$.D.ID. OR US-5875280- \$.D.ID. OR US-6240312- \$.D.ID. OR US-6310642- \$.D.ID. OR US-6328212- \$.D.ID. OR US-6351606- \$.D.ID. OR US-6607301- \$.D.ID. OR US-6636263- \$.D.ID. OR US-6667765- \$.D.ID. OR US-6690412- \$.D.ID. OR US-6709387- \$.D.ID. OR US-6865718- \$.D.ID. OR US-7009634- \$.D.ID. OR US- 20010019364-\$.D.ID. OR US-20020042562-\$. D.ID. OR US- 20020171669-\$.D.ID. OR US-20030117491-\$. D.ID. OR US- 20030174208-\$.D.ID. OR US-20060158512-\$. D.ID. OR US- 20020093484-\$.D.ID. OR WO-2004182472-\$. D.ID.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:42
-----	----	---	---------------------------	----	-----	---------------------

S42	3	US-6462770-\$.DID. OR US-5408263-\$.DID. OR US-6240312-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:44
S43	31	US-20060155174-\$. DID. OR US- 20040180391-\$.DID. OR US-5873830-\$.DID. OR US-6635834-\$.DID. OR US-6428469-\$.DID. OR US-5596366-\$.DID. OR US-5572252-\$.DID. OR US-7022067-\$.DID. OR US-20050148816-\$. DID. OR US- 20040073087-\$.DID. OR US-20040111011-\$. DID. OR US- 20060164511-\$.DID. OR US-20020042562-\$. DID. OR US- 20050171418-\$.DID. OR US-20060217593-\$. DID. OR US- 20050288594-\$.DID. OR US-7316647-\$.DID. OR US-7295226-\$.DID. OR US-7228166-\$.DID. OR US-6947788-\$.DID. OR US-6402689-\$.DID. OR US-20010051766-\$. DID. OR US-5809161-\$. DID. OR US-6984205-\$. DID. OR US-5423312-\$. DID. OR US-6181830-\$. DID. OR US-5374953-\$. DID. OR US-7118529-\$. DID. OR US-7104952-\$. DID. OR US-5833603-\$. DID. OR US-6764440-\$. DID. OR WO-9930610-\$. DID. OR WO-02080376- \$.DID. OR WO- 02102224-\$.DID. OR WO-0074391-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:45

S44	20	US-3984628-\$.D.I.D. OR US-4428005-\$.D.I.D. OR US-4539603-\$.D.I.D. OR US-4786982-\$.D.I.D. OR US-4841291-\$.D.I.D. OR US-5202961-\$.D.I.D. OR US-5351161-\$.D.I.D. OR US-5355450-\$.D.I.D. OR US-5519828-\$.D.I.D. OR US-5643175-\$.D.I.D. OR US-5875280-\$.D.I.D. OR US-6690412-\$.D.I.D. OR US-6709387-\$.D.I.D. OR US-6865718-\$.D.I.D. OR US-7009634-\$.D.I.D. OR US-20020042562-\$. D.I.D. OR US- 20020093484-\$.D.I.D. OR US-20020171669-\$. D.I.D. OR US- 20030174208-\$.D.I.D. OR US-20060158512-\$. D.I.D. OR JP- 2005156216-\$.D.I.D. OR JP-2005156215-\$.D.I.D.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:45
S45	4	US-4310228-\$.D.I.D. OR US-5730702-\$.D.I.D. OR US-5833603-\$.D.I.D. OR US-6364829-\$.D.I.D. OR JP-2001112740-\$.D.I.D. OR JP-4741473-\$.D.I.D. OR JP-55121779-\$.D.I.D. OR JP-11290269-\$.D.I.D. OR JP-7275200-\$.D.I.D. OR JP-2005156217-\$. D.I.D. OR EP-02755594-\$. D.I.D. OR US-755594d-\$. D.I.D. OR US-292006D-\$. D.I.D.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:46
S46	32	US-1031199-\$.D.I.D. OR US-4278077-\$.D.I.D. OR US-4532918-\$.D.I.D. OR US-4646724-\$.D.I.D. OR US-8251987-\$.D.I.D. OR US-4844076-\$.D.I.D. OR US-5187572-\$.D.I.D. OR US-2161993-\$.D.I.D. OR US-5279607-\$.D.I.D. OR US-5486861-\$.D.I.D. OR US-5604531-\$.D.I.D. OR US-5678568-\$.D.I.D. OR US-0211997-\$.D.I.D. OR US-5819736-\$.D.I.D. OR US-0131998-\$.D.I.D. OR	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/11 12:46

		US-6240312-\$ DID. OR US-6310642-\$ DID. OR US-0302001-\$ DID. OR US-6328212-\$ DID. OR US-6351606-\$ DID. OR US-6607301-\$ DID. OR US-6636263-\$ DID. OR US-6667765-\$ DID. OR DE-3440177-\$ DID. OR US-6151986-\$ DID. OR JP-4109927-\$ DID. OR US-4101992-\$ DID. OR JP-5015515-\$ DID. OR JP-2001025004-\$ DID. OR WO-D076391-\$ DID. OR WO-0135813-\$ DID. OR WO-01150941-\$. DID. OR WO-1165995-\$. DID. OR WO-01187377- \$.DID. OR WO- 03009739-\$ DID. OR US-1013199-\$ DID. OR US-20030117491-\$. DID. OR WO-04082472- \$.DID. OR WO- 20041082472-\$ DID.				
S47	0	control\$4 capsule\$1 imag\$4 gain level	US-PGPUB; USPAT	WITH	OFF	2009/12/11 13:41
S48	7482	control\$4 capsule\$1 imag\$4 gain level	US-PGPUB; USPAT	AND	OFF	2009/12/11 13:41
S49	0	control\$4 imager\$4 gain level	US-PGPUB; USPAT	ADJ	OFF	2009/12/11 13:42
S50	0	control\$4 imag\$4 device \$1 gain level	US-PGPUB; USPAT	ADJ	OFF	2009/12/11 13:42
S51	344	control\$4 imag\$4 device \$1 gain level	US-PGPUB; USPAT	WITH	OFF	2009/12/11 13:43
S52	30	control\$4 imag\$4 device \$1 gain level and endoscop\$1	US-PGPUB; USPAT	WITH	OFF	2009/12/11 13:43
S53	19	control\$4 imag\$4 gain level endoscop\$5	US-PGPUB; USPAT	WITH	OFF	2009/12/11 13:51
S54	709	white light\$1 with endoscop\$4 and gain control\$4	US-PGPUB; USPAT	AND	OFF	2009/12/11 14:36
S55	58630	control\$4 imag\$4 gain factor	US-PGPUB; USPAT	AND	OFF	2009/12/11 14:47
S56	2010	control\$4 endoscop\$4 imag\$4 gain factor	US-PGPUB; USPAT	AND	OFF	2009/12/11 14:48
S57	2	control\$4 endoscop\$4 imag\$4 gain factor	US-PGPUB; USPAT	WITH	OFF	2009/12/11 14:48

S58	145	control\$4 endoscop\$4 imag\$4 gain factor with light threshold\$3	US-PGPUB; USPAT	AND	OFF	2009/12/11 14:49
S59	68	control\$4 endoscop\$4 imag\$4 gain factor with light saturation threshold \$3	US-PGPUB; USPAT	AND	OFF	2009/12/11 14:49

12/ 11/ 2009 5:36:41 PM

C:\ Documents and Settings\ jbrutus2\ My Documents\ EAST\ Workspaces\ 10551053.wsp